

## **IN THE CLAIMS**

The listing of claims replaces all prior versions, and listings, of claims in the application.

1. (Currently Amended) A method of destructively editing a time based stream of information in a processing system, the method comprising:

capturing the time based stream of information from an information source  
having a transfer rate into a storage in response to repetitive interrupts  
having a recurring rate substantially similar to ~~based on a~~ the transfer  
rate for a period of time;

outputting the time based stream of information to a display window for the  
period of time based on an output rate substantially similar to the  
transfer rate;

playing the time based stream of information from the storage based on the  
transfer rate subsequent to the period of time;

outputting the time based stream of information to the display window  
substantially simultaneously with the play of the time based stream of  
information from the storage;

partitioning a first portion and a second portion of the time based stream of  
information, the first portion and the second portion being consecutive  
in time, based on the playing, the first portion being stored in a first  
part of the storage, the second portion being stored in a second part of  
the storage, the first portion being captured into the first part during a

first time period of the period of time, the second portion being captured into the second part during a second time period of the period of time, the first part and the second part being consecutive in the storage, and the first ~~time-part period~~ being of different ~~length-size~~ than the second ~~time-period~~part;

selecting the first portion of the time based stream of information;

receiving a user deletion command; and

moving ~~at least a~~the second portion of the time based stream of information

from the second part of the storage to the first part of the storage for

deleting the first portion from the storage, without examining storage

capacity state, in response to the user deletion command such that the

first portion is no longer stored on the storage and is thereby

destructively edited.

2. (Original) The method of claim 1, further including providing reference data corresponding to the stored time based stream information and wherein the selecting is by extracting the reference data from at least a portion of a reference.
3. (Original) The method of claim 2, wherein the reference forms at least one new reference with reference data to the remaining time based stream of information.

4. (Original) The method of claim 3, wherein the extracted reference data is from a portion nested within the reference and the reference splits into a first new reference corresponding to the information prior to the extracted reference data and a second new reference corresponding to the information after the extracted reference data.
5. (Previously Presented) The method of claim 2, further including depositing the extracted reference data in a trash depository prior to deleting the first portion.
6. (Previously Presented) The method of claim 1, wherein the moving is by permanently eliminating the first portion of the information from storage directly without an intermediary step.
7. (Cancelled)
8. (Currently Amended) A method for managing storage in a processing system, comprising:
  - capturing a time based stream of information from an information source
  - having a transfer rate into a storage in response to repetitive interrupts
  - having a recurring rate substantially based on~~similar to a~~ the transfer
  - rate for a period of time;
  - outputting the time based stream of information to a display window for the

period of time based on an output rate substantially similar to the transfer rate;

playing the time based stream of information from the storage based on the transfer rate subsequent to the period of time;

outputting the time based stream of information to the display window substantially simultaneously with the play of the time based stream of information from the storage;

partitioning a first portion and a second portion of the time based stream of information, the first portion and the second portion being consecutive in time, based on the playing, the first portion being stored in a first part of the storage, the second portion being stored in a second part of the storage, the first portion being captured into the first part during a first time period of the period of time, the second portion being captured into the second part during a second time period of the period of time, the first part and the second part being consecutive in the storage, and the first ~~time period~~part being of different ~~length-size~~ than the second ~~time period~~part;

selecting the first portion of the time based stream of information in response to a user selection command;

determining whether the first portion is represented by more than one  
reference data containing processing information corresponding to the  
time based stream of information; and  
moving ~~at least a~~ the second portion of the time based stream of information  
from the second part of the storage to the first part of the storage for  
deleting the first portion from the storage, without examining storage  
capacity state, if the first portion is not represented by more than one  
reference data such that the first portion is no longer stored on the  
storage and is thereby destructively edited.

9. (Original) The method of claim 8, further including depositing corresponding reference data in a trash depository prior to deleting the information.
10. (Previously Presented) The method of claim 9, wherein the deleting further includes determining if a cancel command is not received.
11. (Original) The method of claim 8, wherein the selecting is by extracting corresponding reference data from at least a portion of a reference.

12. (Previously Presented) The method of claim 11, wherein if a cancel command is received, the extracted reference data is replaced in the reference and the first portion is not deleted.
13. (Original) The method of claim 11, wherein the reference forms at least one new reference to the remaining time based stream of information after extracting.
14. (Original) The method of claim 13, wherein the extracted reference data is nested in the reference and the reference splits into a first new reference corresponding to the information prior to the extracted reference data and a second new reference corresponding to the information after the extracted reference data.
15. (Previously Presented) A method of claim 8, wherein the moving is by permanently eliminating the first portion of the information from storage directly without an intermediary step.
16. (Cancelled)
17. (Currently Amended) A time based stream of information processing system comprising:  
  
a storage for storing a time based stream of information;

a capture port for acquiring the time based stream of information from an information source having a transfer rate into the storage in response to repetitive interrupts having a recurring rate substantially similar to based on a the transfer rate for a period of time;

a display device for presenting a display window to playing output the time based stream of information, the display window outputting the time based stream of information in response to the repetitive interrupts according to an output rate substantially similar to the transfer rate during the period of time, the display window outputting the time based stream of information from the storage based on the transfer rate

subsequent to the period of time, a first portion and a second portion of ; the time based stream of information being partitioned based on the output playing of the time based stream of information from the storage, the first portion and the second portion being consecutive in time, the first portion being stored in a first part of the storage, the second portion being stored in a second part of the storage, the first portion being captured into the first part during a first time period of the period of time, the second portion being captured into the second part during a second time period of the period of time, the first part and the

second part being consecutive in the storage, and the first time  
periodpart being of different length-size than the second time  
periodpart; and

a processor for selecting the first portion of the time based stream of

information and moving ~~at least~~ at the second portion of the time based  
stream of information from the second part of the storage to the first  
part of the storage for deleting the first portion of the information from  
the storage, without examining storage capacity state, in response to a  
user deletion command such that the first portion is no longer stored on  
the storage and is thereby destructively edited.

18. (Original) The system of claim 17, wherein the display device includes a deletion control.
19. (Original) The system of claim 17, wherein the storage further includes at least one reference having data corresponding to the time based stream of information and the processor is further for deleting the reference data.
20. (Original) The system of claim 19, wherein the processor is further for forming at least one new reference with reference data to the remaining time based stream of information after deleting the reference data.



21. (Cancelled)

22. (Currently Amended) ~~The~~ A processing system for destructively editing a time based stream of information to generate a presentation comprising:

means for capturing the time based stream of information from an information

source having a transfer rate into a storage in response to repetitive

interrupts having a recurring rate substantially similar to ~~based~~

~~on a~~ the transfer rate for a period of time;

means for outputting the time based stream of information to a display window

for the period of time based on an output rate substantially similar to

the transfer rate;

means for playing the time based stream of information from the storage based

on the transfer rate subsequent to the period of time;

means for outputting the time based stream of information to the display

window substantially simultaneously with the play of the time based

stream of information from the storage;

means for partitioning, a first portion and a second portion of the time based

stream of information based on the playing, the first portion and the

second portion being consecutive in time, the first portion being stored

in a first part of the storage, the second portion being stored in a second part of the storage the first portion being captured into the first part during a first time period of the period of time, the second portion being captured into the second part during a second time period of the period of time, the first part and the second part being consecutive in the storage, and the first ~~time period~~part being of different ~~length-size~~ than the second ~~time period~~part;

means for selecting the first portion of the time based stream of information;

means for receiving a user deletion command; and

means for moving ~~at least a~~the second portion of the time based stream of information from the second part of the storage to the first part of the storage for deleting the first portion of the information from the storage, without examining storage capacity state, in response to the user deletion command such that the first portion is no longer stored on the storage and is thereby destructively edited.

23. (Original) The system of claim 22, further including a means for providing a reference corresponding to the stored time based stream information and wherein the selecting is by extracting at least a portion of the reference.

24. (Original) The system of claim 23, wherein the extracted reference forms at least one new reference to the remaining time based stream of information.
25. (Original) The system of claim 24, wherein the extracted portion is from a portion nested in the reference and the reference splits into a first new reference corresponding to the information prior to the extracted portion and a second new reference corresponding to the information after the extracted portion.
26. (Previously Presented) The system of claim 22, wherein the moving is by permanently eliminating the first portion of the information from storage directly without an intermediary step.
27. (Cancelled)
28. (Currently Amended) A computer readable medium encoded with a plurality of computer-executable instructions being executed by a processing system for collecting a time based stream of information and generating a presentation, cause the processor to:

capture the time based stream of information from an information source

having a transfer rate into a storage in response to repetitive interrupts

having a recurring rate substantially similar to ~~based on a~~ the transfer  
rate for a period of time;

output the time based stream of information to a display window for the period  
of time based on an output rate substantially similar to the transfer rate;

play the time based stream of information from the storage based on the  
transfer rate subsequent to the period of time;

output the time based stream of information to the display window  
substantially simultaneously with the play of the time based stream of  
information from the storage;

partition a first portion and a second portion of the time based stream of  
information, the first portion and the second portion being consecutive  
in time, the first portion being stored in a first part of the storage, the  
second portion being stored in a second part of the storage, the first  
portion being captured into the first part during a first time period of the  
period of time, the second portion being captured into the second part  
during a second time period of the period of time, the first part and the  
second part being consecutive in the storage, and the first ~~time period~~  
part being of different ~~length-size~~ than the second ~~time period~~ part;

select the first portion of the time based stream of information;

receive a user deletion command; and

move ~~at least a~~ the second portion of the time based stream of information from

the second part of the storage to the first part of the storage for deleting the first portion of the information from the storage, without examining storage capacity state, in response to the user deletion command such that the first portion is no longer stored on the storage and is thereby destructively edited.

29. (Original) The computer readable medium of claim 28, further including additional sequences of executable instructions, which, when executed by the processor, cause the processor to provide a reference corresponding to the stored time based stream information and wherein the selecting is by extracting reference data from at least a portion of the reference.
30. (Original) The computer readable medium of claim 29, wherein the extracted reference forms at least one new reference with reference data to the remaining time based stream of information.
31. (Original) The computer readable medium of claim 30, wherein the extracted reference data is from a portion nested in the reference and the reference splits into a first new reference corresponding to the information prior to the extracted reference

data and a second new reference corresponding to the information after the extracted reference data.

32. (Previously Presented) The computer readable medium of claim 29, further including additional sequences of executable instructions, which, when executed by the processor, cause the processor to deposit the extracted reference data in a trash depository prior to deleting the first portion.
33. (Previously Presented) The computer readable medium of claim 28, wherein the moving is by permanently eliminating the first portion of the information from storage directly without an intermediary step.
34. (Cancelled)